

Inhaltsverzeichnis

Netzwerk Port Broadcast Domain ändern	3
Homeport umziehen	3
Aus alter Broadcast-Domain löschen	3
Zu neuer Broadcast-Domain hinzufügen	3
Homeport wieder zurück ziehen	3

Netzwerk Port Broadcast Domain ändern

Wenn der Port der Homeport ist, muss dieser erst geändert werden.

Homeport umziehen

```
net interface modify -vserver <VSERVER_NAME> -lif <LIF_Name> -service-policy
default-management -home-node <HOME_Node> -home-port <NEUER_Home_Port>
```



*Fehlermeldung zur Failover-Group können übergangen werden, weil der Port am Ende wieder umgeschwenkt wird. „The configured failover-group has no valid failover targets....“

Aus alter Broadcast-Domain löschen

```
broadcast-domain remove-ports -broadcast-domain <Name der Broadcast Domain>
-ports <Name des Ports>
```

Zu neuer Broadcast-Domain hinzufügen

```
broadcast-domain add-ports -broadcast-domain <Name der Broadcast Doman> -
ports <Name des Ports>
```

Homeport wieder zurück ziehen

```
net interface modify -vserver <VSERVER_NAME> -lif <LIF_Name> -service-policy
default-management -home-node <HOME_Node> -home-port <NEUER_Home_Port>
```

From:
<https://nas-wiki.hundacker.eu/> - **NAS-Wiki**

Permanent link:
https://nas-wiki.hundacker.eu/doku.php/cdot/nwk_port

Last update: **14.12.2021 14:15**

