Inhaltsverzeichnis

SMB Kerberos mit AES mit Unterstützung 3

SMB Kerberos mit AES mit Unterstützung

Standardmäßig ist dies deaktiviert. Das ganze wird pro SVM ein bzw. aus geschaltet.

Überprüfen

```
vserver cifs security show -vserver vserver_name -fields is-aes-encryption-enabled
```

Einschalten

```
vserver cifs security modify -vserver vserver_name -is-aes-encryption-enabled true
```

Ausschalten

```
vserver cifs security modify -vserver vserver_name -is-aes-encryption-enabled false
```

Da ein neues PW im AD für den Maschinen Account angelegt wird, wird dringend ein Konto benötigt was in der AU schreib rechte hat

```
cluster1::> vserver cifs security modify -vserver vs2 -is-aes-encryption-enabled true

Info: In order to enable SMB AES encryption, the password for the SMB server
machine account must be reset. Enter the username and password for the
SMB domain "EXAMPLE.COM".

Enter your user ID: administrator

Enter your password:


cluster1::> vserver cifs security show -vserver vs2 -fields is-aes-encryption-enabled
vserver  is-aes-encryption-enabled
-------- --------------------------
vs2      true
```

From:
https://nas-wiki.hundacker.eu/ - **NAS-Wiki**

Permanent link:
https://nas-wiki.hundacker.eu/doku.php/cdot/smb_aes

Last update: **05.04.2022 09:05**