

Inhaltsverzeichnis

SMB Kerberos mit AES mit Unterstützung 3

SMB Kerberos mit AES mit Unterstützung

Standardmäßig ist dies deaktiviert. Das ganze wird pro SVM ein bzw. aus geschaltet.

Überprüfen

```
vserver cifs security show -vserver vserver_name -fields is-aes-encryption-enabled
```

Einschalten

```
vserver cifs security modify -vserver vserver_name -is-aes-encryption-enabled true
```

Ausschalten

```
vserver cifs security modify -vserver vserver_name -is-aes-encryption-enabled false
```

Da ein neues PW im AD für den Maschinen Account angelegt wird, wird dringend ein Konto benötigt was in der AU Schreibrechte hat



```
cluster1::> vserver cifs security modify -vserver vs2 -is-aes-encryption-enabled true
```

```
Info: In order to enable SMB AES encryption, the password for the SMB server machine account must be reset. Enter the username and password for the SMB domain "EXAMPLE.COM".
```

```
Enter your user ID: administrator
```

```
Enter your password:
```

```
cluster1::> vserver cifs security show -vserver vs2 -fields is-aes-encryption-enabled
```

```
vserver  is-aes-encryption-enabled
```

```
-----
```

```
vs2      true
```

From:

<https://nas-wiki.hundacker.eu/> - **NAS-Wiki**

Permanent link:

https://nas-wiki.hundacker.eu/doku.php/cdot/smb_aes

Last update: **05.04.2022 09:05**

