

Inhaltsverzeichnis

Netzwerk Port Broadcast Domain ändern 3

Homeport umziehen 3

Aus alter Broadcast-Domain löschen 3

Zu neuer Broadcast-Domain hinzufügen 3

Homeport wieder zurück ziehen 3

Netzwerk Port Broadcast Domain ändern

Wenn der Port der Homeport ist, muss dieser erst geändert werden.

Homeport umziehen

```
net interface modify -vserver <VSERVER_NAME> -lif <LIF_Name> -service-policy  
default-management -home-node <HOME_Node> -home-port <NEUER_Home_Port>
```



*Fehlermeldung zur Failover-Group können übergangen werden, weil der Port am Ende wieder umgeschwenkt wird. „The configured failover-group has no valid failover targets....“

Aus alter Broadcast-Domain löschen

```
broadcast-domain remove-ports -broadcast-domain <Name der Broadcast Domain>  
-ports <Name des Ports>
```

Zu neuer Broadcast-Domain hinzufügen

```
broadcast-domain add-ports -broadcast-domain <Name der Broadcast Doman> -  
ports <Name des Ports>
```

Homeport wieder zurück ziehen

```
net interface modify -vserver <VSERVER_NAME> -lif <LIF_Name> -service-policy  
default-management -home-node <HOME_Node> -home-port <NEUER_Home_Port>
```

From:

<https://nas-wiki.hundacker.eu/> - NAS-Wiki

Permanent link:

https://nas-wiki.hundacker.eu/doku.php/cdot/nwk_port

Last update: **14.12.2021 14:15**

